

POLICY:	VEGETATION AND SIGNAGE FOR ROUNDBABOUTS
DATE ADOPTED:	Director Engineering Services Report # 8.2.1 Policy 4 December 2024 Council 19 February 2025 Resolution No. POL2024-35
ORIGINAL ADOPTION:	Director Engineering Services Report #1 Policy 1 April 2015 Council 15 April 2015, 9 December 2020
FILE REFERENCE:	41.00089, 11.00039
OBJECTIVE:	To establish guidelines with respect to plantings and signage on roundabouts.


That:

- All vegetation is to be permitted within the envelopes as noted on the Plan EN10775B refer **attachment 1**, or as otherwise approved by the Director Engineering Services.
- Vegetation that grows above this envelope is to be trimmed back to the designated envelope, or as approved by the Director Engineering Services.
- All signage installed on the roundabout with vegetation is to be a maximum of 1.1m in height.
- All signage is to be in accordance with AS1742.1, or sympathetic to the heritage characteristics of the area within which they are installed.

These guidelines are regarded as adequate to achieve a balance between the amenity of the site, the safety of Bathurst roundabouts and the aesthetic enhancement of the area.

NOTES:

1. ALL DIMENSIONS IN MILLIMETRES.
2. SEE SECTION 6, CLAUSES 4.54 & 8.1 OF ENGINEERING GUIDELINES FOR GENERAL ROUNDABOUT DESIGN & CONSTRUCTION REQUIREMENTS.
3. LANDSCAPING AND SIGHT DISTANCE PLANS TO BE PROVIDED AT SUBDIVISION WORKS CERTIFICATE STAGE FOR ALL PROPOSED NEW ROUNDABOUTS FOR REVIEW BY COUNCILS ENGINEER AND RECREATION SECTION DETAILING:
 - CRITERION 2 SIGHT DISTANCE TRIANGLES. WHERE THERE ARE ANY ENCROACHMENTS INTO THE CENTRE ISLAND INNER SECTION, PLANS SHALL BE PROVIDED ON THE AREAS THAT ARE RESTRICTED AND UNRESTRICTED WITH REGARDS TO LANDSCAPING HEIGHT. PLANS SHALL BE SUITABLE FOR USE IN DETERMINING FUTURE LANDSCAPING OPTIONS.
 - PROPOSED LANDSCAPING TREATMENTS INCLUDING SIGNAGE AND PLANTINGS LOCATION AND DETAILS.



AUSTROADS GUIDE TO ROAD DESIGN PART 4B ROUNDABOUTS, CLAUSE 3 "SIGHT DISTANCE", CRITERION 2 SIGHT DISTANCE TRIANGLE. CRITERION 2 SIGHT DISTANCE TRIANGLES SHALL BE CHECKED ON ALL APPROACHES.

THE FOLLOWING POINTS SHALL BE CONSIDERED IN ADDITION TO AUSTROADS CRITERIA:

1. CENTRE ISLAND INNER SECTION TO BE CLEAR OF CRITERION 2 SIGHT DISTANCE TRIANGLE ON ALL APPROACHES WHERE PRACTICABLE (AS SHOWN). LANDSCAPING HEIGHT UNRESTRICTED IN ALL OF INNER CENTRE ISLAND IN THIS CASE.
2. WHERE CRITERION 2 SIGHT DISTANCE TRIANGLE ENCROACHES IN/OVERLAPS WITH THE CENTRE ISLAND INNER SECTION, THE FINISHED LANDSCAPING HEIGHT WITHIN THE ENCROACHED AREA (INCLUDING CENTRAL ISLAND KERB & SIGNAGE) SHALL BE LIMITED TO ENSURE CLEAR SIGHT DISTANCE FROM CAR A DRIVER EYE HEIGHT (1100 ABOVE FINISHED ROAD LEVEL) TO CAR B INDICATORS (650 ABOVE FINISHED ROAD LEVEL). EVIDENCE OF COMPLIANCE TO BE PROVIDED IN THESE CASES.

NEW ROUNDABOUT LANDSCAPING & SIGHT DISTANCE REQUIREMENTS
NOT TO SCALE

CONSULTANT		REV	DESCRIPTION	INITIALS	DATE	SCALES IN METRES (A1)			SURVEYED	CHECKED	PROJECT ROUNDABOUT LANDSCAPING & SIGHT DISTANCE REQUIREMENTS		
		A	ISSUED FOR APPROVAL	BD	03-15	1:10	0 0.1 0.2 0.3 0.4 0.5	1:200	0 2 4 6 8 10	1:750		0 7.5 15 22.5 30 37.5	DESCRIPTION NEW ROUNDABOUT DETAILS & NOTES
		B	NEW ROUNDABOUT DETAILS ADDED, UPDATES	MC	21-09-23	1:20	0 0.2 0.4 0.6 0.8 1.0	1:250	0 2.5 5 7.5 10 12.5	1:1000	0 10 20 30 40 50	DWG No. EN10775B	
		----	----	----	----	1:50	0 0.5 1.0 1.5 2.0 2.5	1:400	0 4 8 12 16 20	1:2000	0 20 40 60 80 100	SHEET No. 02-02	
						1:100	0 1 2 3 4 5	1:500	0 5 10 15 20 25	1:5000	0 50 100 150 200 250	REV. A	
CHECKED	APPROVED								DRAWN	MC	TECHNICAL SERVICES MANAGER	BATHURST REGIONAL COUNCIL	
									DESIGN	MC	DIRECTOR ENGINEERING SERVICES		
									DATE	21-09-23			
									DATUM	AHD			