


TYPICAL GATE DETAIL
SCALE 1:10



TYPICAL VEHICLE BARRIER DETAIL
SCALE 1:10

NOTES:

1. ALL DIMENSIONS IN MILLIMETRES.
2. ALL CONCRETE TO BE MINIMUM 25MPa.
3. ALL GATE MATERIALS SHALL BE GALVANISED STEEL PAINTED WHITE.
4. VEHICLE BARRIERS SHALL BE 150# CCA H4 TREATED PINE ROUNDS SUITABLE FOR IN-GROUND USE.
5. VEHICLE BARRIER LEGS TO BE SECURED TO RAIL WITH 50x0.8x700 GALVANISED STRAPS WITH 60 LONG SMOOTH SHANKED GAL ROOFING NAILS & 200 LONG RAILLOC SPIKE.
6. 200 LONG GALVANISED BRIDGING SPIKES TO BE NAILED IN INTO VEHICLE BARRIER LEGS PRIOR TO INSTALLATION OF CONCRETE.
7. PROVIDE TOPDRESSING TO FOOTING SURROUNDS.
8. 600 MAXIMUM CLEAR OPENING SPACE BETWEEN VEHICLE BARRIERS. 350-400 SPACING BETWEEN VEHICLE BARRIERS & GATE POSTS.

CONSULTANT	REV	DESCRIPTION	INITIALS	DATE	SCALES (A1) 1:10 0 0.1 0.2 0.3 0.4 0.5 Metres 1:20 0 0.2 0.4 0.6 0.8 1.0 1:50 0 0.5 1.0 1.5 2.0 2.5 1:100 0 1 2 3 4 5 1:200 0 2 4 6 8 10 Metres 1:500 0 5 10 15 20 25 1:750 0 7.5 15 22.5 30 37.5 1:1000 0 10 20 30 40 50	SURVEYED	CHECKED	PROJECT BRC STANDARD OPEN SPACE VEHICLE BARRIER & ACCESS DETAILS DESCRIPTION DETAILS & NOTES DWG No. EN12050 SHEET No. 01 REV. A
	A	ISSUED FOR APPROVAL	MC	21-09-23		DRAWN MC	TECHNICAL SERVICES MANAGER	
CHECKED	APPROVED					DESIGN MC	DIRECTOR ENGINEERING SERVICES	
						DATE 21-09-23		
						DATUM AHD		

