



**PLAN**  
SCALE 1:10




**SECTION A-A**  
**TYPICAL PRAM RAMP ELEVATION FOR BARRIER**  
**KERB & GUTTER**  
SCALE 1:10

- NOTES:**
1. ALL DIMENSIONS IN MILLIMETRES.
  2. KERB RAMP TO COMPLY WITH AS1428.1.
  3. REFER AS1428.4 FOR THE INSTALLATION OF TACTILE DEVICES WHERE FOOTPATH IS WIDER THAN 4500 OR WHERE THE RAMP ARE INSTALLED MID BLOCK.
  4. ALL CONCRETE TO BE MINIMUM 25MP<sub>a</sub>.
  5. BROOM FINISH ON RAMP.
  6. NO LIP TO BE PLACED AT GUTTER LINE.
  7. DIRECTION OF KERB RAMP MUST BE ALIGNED TO THE CORRESPONDING RAMP ON THE OPPOSITE SIDE OF THE ROAD.



**SECTION B-B**  
**TYPICAL KERB & GUTTER**  
**PROFILE: BARRIER TYPE**  
SCALE 1:10



**SECTION C-C**  
**TYPICAL PRAM RAMP**  
**CROSS SECTION**  
SCALE 1:10

CONSULTANT	REV	DESCRIPTION	INITIALS	DATE
	A	ISSUED FOR APPROVAL	DMM/LW	06-98
	B	DRAFTING UPDATES	-	-
	C	RAMP SECTION WIDENED FROM 1200 TO 1500	MC	08-08-17
	D	NOTE & DRAFTING UPDATES	MC	21-09-23
CHECKED	APPROVED			

SCALES (A1)	0 0.1 0.2 0.3 0.4 0.5 Metres	0 2 4 6 8 10 Metres
1:10	0 0.2 0.4 0.6 0.8 1.0	0 5 10 15 20 25
1:20	0 0.5 1.0 1.5 2.0 2.5	0 7.5 15 22.5 30 37.5
1:50	0 1 2 3 4 5	0 10 20 30 40 50
1:100		1:1000

SURVEYED	CHECKED
DRAWN MC	TECHNICAL SERVICES MANAGER
DESIGN -	DIRECTOR ENGINEERING SERVICES
DATE 21-09-23	
DATUM AHD	



PROJECT	BRC STANDARD PERAMBULATOR CROSSING DETAILS
DESCRIPTION	PLAN & SECTIONS
DWG No. EN7877	SHEET No. 01
	REV. D